

Application Date \_\_\_\_\_

Permit No. \_\_\_\_\_

**NEWTOWN TOWNSHIP - APPLICATION FOR ROAD OCCUPANCY PERMIT**

The undersigned hereby makes application for permit to occupy a Township Road, for the purpose indicated below; in accordance with the provisions of Ordinance No. 1983-0-117 as amended providing for the issuance of a permit, paying fees and providing penalties for violation.

APPLICANT NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

PHONE # \_\_\_\_\_ FAX# \_\_\_\_\_

Storm Sewer \_\_\_\_\_ Sewer \_\_\_\_\_ Cable \_\_\_\_\_ Water Pipe \_\_\_\_\_ Gas Serv \_\_\_\_\_ Elec. Serv \_\_\_\_\_

Inlet \_\_\_\_\_ Gas Pipe \_\_\_\_\_ Manhole \_\_\_\_\_ Utility Pole Replacement # \_\_\_\_\_ Conduit \_\_\_\_\_

Driveway \_\_\_\_\_ Curb l.f. \_\_\_\_\_ Sidewalk l.f. \_\_\_\_\_ Footpath l.f. \_\_\_\_\_ Bike path l.f. \_\_\_\_\_

LOCATION \_\_\_\_\_

PURPOSE \_\_\_\_\_

Any work performed within the right-of-way of a Township road, requires submission of three (3) copies of a sketch showing location and details of proposed work.

My signature constitutes an agreement to comply with the provision of a Professional Services Agreement establishing an escrow account for expenses incurred by the Township for professional consultants, including but not limited to, engineering, inspections, and surface repairs.

The escrow account shall be replenished within fifteen (15) days from receipt of written notice by the Township when depleted to fifty (50%) of the original amount. All unused funds in the escrow account shall be returned to the applicant after project completion upon written request. Escrow funds not returned to the applicant within the twelve (12) month period following project completion shall be forfeited to the Township.

The Board of Supervisors may at any time revoke this permit for non-performance of or non-compliance with any of the conditions, restrictions, and regulations thereof.

I understand and agree to the terms of the Professional Services Agreement requiring an escrow account for professional inspection service.

\_\_\_\_\_  
Applicant's Signature

\_\_\_\_\_  
Approved By

\_\_\_\_\_  
Date

\_\_\_\_\_  
Date

Under and subject to all the conditions, restrictions, regulations, provisions and specifications prescribed by the Township, a true copy thereof is made a part hereof, with the same force and effect as if written or printed herein and under and subject to the special conditions, restrictions, and regulations hereinafter set forth.

# NEWTOWN TOWNSHIP PUBLIC WORKS

## Road/Right-of-Way Opening Permit Per Resolution as Amended

*All fees referenced within this section shall be doubled if the project is started without applicable permits and/or approvals*

**These fees apply to any road openings and excavations in any Township highway, roadway, right-of-way, curb, sidewalk, footpath, or bike path having an improved or unimproved surface. Permits shall be valid for sixty (60) days from the date of issuance and may be renewed for an additional sixty (60) days upon pre-payment of a forty-five dollar (\$45.00) renewal fee. Fees apply to each opening permit application.**

Up to twenty (20) linear feet	\$95.00
Over twenty (20) linear feet	\$95.00 plus \$1.50 per lf over 20 lf
Utility Pole Replacements	\$30.00 per pole; \$60.00 minimum
Driveways (within Right of Way)	\$95.00

**The following amounts shall be posted to the professional services escrow account:**

Road Occupancy/Street Opening Permits	\$2,500.00
Driveway Installations/Alterations	\$ 470.00

**A 12% administration fee will be added to all invoices.**

## TOWNSHIP REQUIREMENTS: CONCRETE

*Part 10 SLDO, Section 1003*

*Chapter 22, Section 517.11 of the Code of Ordinances of Newtown*

- Square Foot
- Material (mix design) need for any application  
The proposed design mixes for the concrete must be submitted to the Township Engineer for approval & adhere to the following criteria:
  1. maximum water: cement ratio equals .45
  2. no slag of fly ash (light weight)
  3. 3" maximum slump (plus or minus 1")
  4. five to seven percent (5-7%) air entrainment
  5. application of liquid cure & seal compound with 30% min. solids content applied immediately after finishing operations are completed & the water sheen has disappeared.
  6. 4,000 psi concrete
- 2B (clean stone) sub-base
- HE high early (strengthens faster)
- 4,000 p.s.i. (the higher the number psi's the stronger)
- 3" slump +/- 1" (the lower the number slump the tighter)

Sidewalks: 4,000 p.s.i. concrete with a minimum width of four feet (4') & thickness of four inches (4") on a compacted bed of 2B stone four inches (4") in depth.


Driveway Crossings: when the sidewalk thickness shall be increased to a six-inch (6") depth as specified.

Curb gutter shapes & sized shall be approved by Twp. Engineer. Complete details of proposed curbs shall be included in subdivision plans including physical dimensions & concrete spec. All curb gutters shall be constructed of 4000 p.s.i.

---

### Other Standards

- Driveway 7-10% max. slope
- 4% max slope Apron
- 2B (clean stone) under apron & 2 layers of w.w.fabric  
w6 x w6      w9 x w9      (welded wire fabric)
- Sewer hook-up 150 ft.




1. EXPOSED VERTICAL AND HORIZONTAL SURFACES SHALL BE PREPARED AS PER PUB. 408, SECTION 401.3 (f)
  2. OVERCUT ALL EDGES 1'. EXCAVATE OLD AND TEMPORARY MATERIAL. RECOMPACT SUB-GRADE. TACK COAT ALL VERTICAL EDGES. INSTALL ONLY BASE COURSE AND BINDER IN ONE DAY.
- \* MATCH EXISTING DEPTH IF GREATER

# FLEXIBLE PAVEMENT RESTORATION

N.T.S.

(FOR LOCAL ROADWAYS)




1. EXPOSED VERTICAL AND HORIZONTAL SURFACES SHALL BE PREPARED AS PER PUB. 408, SECTION 401.3 (f)
2. OVERCUT ALL EDGES 1'. EXCAVATE OLD AND TEMPORARY MATERIAL. RECOMPACT SUB-GRADE. TACK COAT ALL VERTICAL EDGES. INSTALL ONLY BASE COURSE AND BINDER IN ONE DAY.

\* MATCH EXISTING DEPTH IF GREATER

# FLEXIBLE PAVEMENT RESTORATION

N.T.S.

(FOR HIGHWAYS AND COLLECTOR ROADS)



NON-PAVEMENT RESTORATION  
WITHIN PENNDOT R.O.W.

(N.T.S.)